Jefferson, R.G. *see* Blackstock, T.H.
Jefferson, R.G. *see* Tallowin, J.R.B.
Jia, J.F. *see* Xu, Y.Y.
Johnson, R.H. *see* Hopkins, A.

Karsten, H.D. and Fick, G.W. White clover growth patterns during the grazing season in a rotationally grazed dairy pasture in New York, 174
Kelman, W.M., Oram, R.N and Hayes, J.E. Characterization, establishment and persistence under grazing of nitrous oxide-induced octoploid *Phalaris aquatica* L. 62
Kilpatrick, D.J. *see* Dawson, L.E.R.
Kilpatrick, D.J. *see* McGilloway, D.A.
Kraak, T. *see* Schils, R.L.M.
Kühbauch, W. *see* Schellberg, J.

Laidlaw, A.S. *see* Bailey, J.S.
Laidlaw, A.S. *see* McGilloway, D.A.
Leach, K.A. *see* Hameleers, A.
Leafe, E.L. 97
Leath, K.T. *see* Byers, R.A.
Leaver, J.D. *see* Wilkinson, J.M.
Lema, M. *see* Lindner, R.
Lewis, G.C. and Clements, R.O. Effect of combined insecticide and fungicide treatments on newly sown swards of Italian and perennial ryegrass using two methods of sowing, two rates of seed and N fertilizer, with and without herbicide 155
Li Fengrui. Severity of damage to *Trifolium repens* leaves by certain invertebrate species in mixed perennial ryegrass/white clover swards: response to cultivar, cutting frequency and sward characteristics 137
Lindner, R., Lema, M. and García, A. Ecotypic differences and performance of the genetic resources of cocksfoot (*Dactylis glomerata* L.) in north-west Spain 336
Logan, K.A.B. and Thomas, R.J. Interactions between N supply and N uptake by perennial ryegrass, ^{15}N recovery and soil pH for four acid Scottish soils 42
Lootens, P. *see* Van Huylenbroeck, J.M.

Mackay, A.D. *see* Nie, Z.N.
Mackintosh, J. *see* Blackstock, T.H.
McGechan, M.B. *see* Wu, L.
McGilloway, D.A., Cushnahan, A., Laidlaw, A.S., Mayne, C.S. and Kilpatrick, D.J. The relationship between level of sward height reduction of a rotationally grazed sward and short-term intake rates of dairy cows 116
Martiniello, P. Effects of irrigation and harvest management on dry-matter yield and seed yield of annual clovers grown in pure stand and in mixtures with graminaceous species in a Mediterranean environment 52
Matthew, C. *see* Hernández Garay, A.
Mayne, C.S. *see* McGilloway, D.A.
Minson, D.J. *see* Akhter, S.
Möseler, B.M. *see* Schellberg, J.

Nie, Z.N., Barker, D.J., Valentine, I., Mackay, A.D. and Hodgson, J. Changes in the population of germinated seed in a hill pasture during and after a pastoral fallow 127
Niu, B.T. *see* Xu, Y.Y.

Offer, N.W. *see* Hameleers, A.
Olšovská, J. *see* Cagaš, B.
Ongaro, V. *see* Pérez, H.
Oram, R.N *see* Kelman, W.M.
Owen, E. *see* Akhter, S.

Peel, S. *see* Hopkins, A.
Pérez, H., Bravo, S., Ongaro, V., Castagnaro, A., García Seffino, L. and Taleisnik, E. *Chloris gayana* cultivars: RAPD polymorphism and field performance under salinity 289
Phillips, C.J.C. *see* Chiy, P.C
Poland, P. *see* Watson, C.J.
Pywell, R.F. *see* Hopkins, A.

Rademacher, I.F *see* Schellberg, J.
Ravid, N. *see* Ungar, E.D.
Rimes, C.A. *see* Blackstock, T.H.
Roberts, D.J. *see* Hameleers, A.
Robertson, H.J. *see* Blackstock, T.H.

Schellberg, J., Möseler, B.M., Kühbauch, W. and. Rademacher, I.F. Long-term effects of fertilizer on soil nutrient concentration, yield, forage quality and floristic composition of a hay meadow in the Eifel mountains, Germany 195
Schils, R.L.M., Vellinga, Th.V. and Kraak, T. Dry-matter yield and herbage quality of a perennial ryegrass/white clover sward in a rotational grazing and cutting system 19
Shiel, R.S., El Tilib, A.M.A. and Younger, A. The influence of fertilizer nitrogen, white clover content and environmental factors on the nitrate content of perennial ryegrass and ryegrass/white clover swards 275
Steen, R.W.J. *see* Dawson, L.E.R.
Stevens, D.P. *see* Blackstock, T.H.
Stout, W.L. *see* Byers, R.A.

Taleisnik, E. *see* Pérez, H.
Tallowin, J.R.B. and Jefferson, R.G. Hay production from lowland semi-natural grasslands: a review of implications for ruminant livestock systems 99

Taube, F. *see* Wachendorf, M.
Theodorou, M.K. *see* Akhter, S.
Thomas, R.J. *see* Logan, K.A.B.

Ungar, E.D. and Ravid, N. Bite horizons and dimensions for cattle grazing herbage to high levels of depletion 357

Valentine, I. *see* Nie, Z.N.
Van Bockstaele, V. *see* Van Huylenbroeck, J.M.
Van Huylenbroeck, J.M., Lootens, P. and Van Bockstaele, V. Photosynthetic characteristics of perennial ryegrass and red fescue turf-grass cultivars 267
Vázquez de Aldana, B.R. *see* Zabalgogeazcoa, I.
Vellinga, Th.V. *see* Schils, R.L.M.

Wachendorf, M., Ingwersen, B. and Taube, F. Prediction of the clover content of red clover- and white clover-grass mixtures by near-infrared reflectance spectroscopy 87
Wang, J.B. *see* Xu, Y.Y.
Watson, C.J. and Poland, P. Change in the balance of ammonium-N and nitrate-N content in soil under grazed grass swards over 7 years 248
Wilkinson, J.M., Hill, J. and Leaver, J.D. Effect of swath treatment on water loss during field-wilting and on feeding value of perennial ryegrass silage, 227
Wu, L. and McGechan, M.B. Simulation of nitrogen uptake, fixation and leaching in a grass/white clover mixture 30

Xu, Y.Y., Jia, J.F., Wang, J.B. and Niu, B.T. Changes in isoenzymes and amino acids in forage and germination of the first post-flight generation of seeds of three legume species after space flight 371

Younger, A. *see* Shiel, R.S.

Zabalgogeazcoa, I., Vázquez de Aldana, B.R., García Criado, B. and García Ciudad, A. The infection of *Festuca rubra* by the fungal endophyte *Epichloë festucae* in Mediterranean permanent grasslands 91